

An Oral Medication For The Treatment Of Erection Failure With Sildigra Black Force

Sensual health is a significant part of the life of a man. It is important for every man irrespective of age. It is the foundation of the couple's life. It can even have an impact on the quality of life of a couple. The most common type of sensual problem among males is [erectile disorder](#) or ED. This illness is also known as [Impotence](#) in men. It does not allow men to be able to gain or maintain an erection during the sensual contact with the lady. This sensual condition is usually a symptom of another medical or psychological problem. [Sildigra Black Force](#) from [rsmenterprises](#) is an oral medication for the management of [erectile disorder](#) or ED. This medication contains [Sildenafil citrate 200 mg](#).



SILDIGRA BLACK FORCE
(Sildenafil Citrate 200Mg)

ORDER NOW!

Contact : +91 9216325377

The advertisement features a romantic couple embracing in bed on the left. In the center, there is a white and blue box of Sildigra Black Force tablets and a blister pack of blue tablets. The box is labeled 'Sildenafil Citrate Tablets Sildigra Black Force-200 10 - 10 Tablets'. The blister pack is labeled 'Sildenafil Citrate Tablets Sildigra Black Force-200'. A small RSM logo is visible in the bottom left corner of the image.

The main work of this medication is to make the male organ of the man hard so that he can acquire erections during the lovemaking activity. One can consume the medication 30 minutes before the sensual contact with the lady.

Symptoms of Impotence

There are a variety of symptoms of [erectile disorder](#) that can be observed by men. If you are struggling with the following symptoms then it is necessary to seek treatment for erectile disorder:

- Low level of libido
- Sensual reluctance
- Early ejaculation
- Not being able to gain an erection during the lovemaking activity
- Not being able to maintain an erection during the lovemaking activity

Causes of Impotence

There are a variety of reasons that might prevent a man from gaining and preserving stiffer erections during sensual contact with the lady. There are even a lot of psychological reasons that might lead to this erectile disorder.

Psychogenic Erectile disorder : The most common reason behind the occurrence of [erectile disorder](#) is anxiety. It might be caused due to a variety of psychological problems. These might include depression, sexual fears, obsessive-compulsive personality disorders or past traumas.

These psychological problems can have a devastating impact on the generation of the erection. It can lower a man's ability to gain an erection and even maintain one. It might even be caused by to lack of sensual knowledge, sensual myths, upbringing, traumatic sensual experiences, and an oppressive family environment. These problems need proper elimination and even proper treatment is necessary.

Organic Source Erectile disorder : The major reason behind the occurrence of Organic Source Erectile disorder is physical ailments. There are a variety of physical ailments that might cause erectile disorder.

Neurogenic origin erectile disorder : This type of erectile disorder might be caused due to neurological diseases. These might comprise Parkinson's, Alzheimer's, tumours and trauma. Patients suffering from these conditions have a poor ability to gain and maintain an erection.

Arteriogenic erectile disorder : This type of erectile disorder is caused when the arteries become narrow. It might be caused due to High cholesterol, hypertension, diabetes, radiation and perineal problems

Venous erectile disorder : This type of erectile disorder is caused when the venous veins begin to collect blood. This might be caused by to abnormal venous canal, tunical abnormality, or functional loss of cavernosal tissue.

Hormonal erectile disorder : This type of [erectile disorder](#) is caused due to the deficiency of sensual hormones such as testosterone.

Erectile tissue [erectile disorder](#) : When there is a variety of changes in the erectile tissues then it might cause men to suffer from ED. It is caused due to Peyronie's disease, trauma, diabetes, and tumor spread.

Other Causes of Impotence

- Old Age
- Infarction
- Dialysis
- shortness of breath
- Severe emphysema
- Smoking, alcohol and drug use

Diagnosis Impotence ([Erectile disorder](#))

Screening and Testing : A variety of blood tests are carried out to check the level of male hormones. It is also carried out to check for other medical problems that cause erectile disorder. Other tests that may be performed include:-

Ultrasonography : These help to find if the circulation of blood to the genitals is sufficient for the generation of an erection.

Neurological tests : These tests are mainly performed to check if there is any kind of nerve damage.

About [Sildigra Black Force](#)

[Sildigra Black Force](#) is an oral medication designed for the treatment of erectile disorder or [ED](#) in males. It is a superb remedy comprising [Sildenafil citrate 200 mg](#). The medication functions well by raising the stream of blood to the male organ. This helps men to gain smooth erections during sensual contact with their partner.